

IPOST



FileMaker Web Plug-in

Bonus User Guide



<http://www.fmwebschool.com> 800.353.7950 / 386.453.5843

IPOST Plug-in is copyright 2005-2006 of FMWebschool Inc.

New IPOST 1.51

New Features Added

FMWebschool has added some new exciting features to IPOST. We have added Redirect, and File Manipulation! File Manipulation will enable you to create directories, rename files, delete files, move file and delete directories.

Redirect

Redirect is important because some sites after loading one page will refresh to a second page before anything is displayed. IPOST now handles Redirect functionality. I have included FileMaker Redirect example files in the bonus folder. IPOST will now accept links such as:

<http://www.fmwebschool.com/> or <http://www.fmwebschool.com/redirect.php>

File Manipulation

IPOST Web now offers File Manipulation! The new features are:

- Move File
- Copy File
- Delete File
- Make Directory
- Delete Directory

IPOST Web Plug-in New Functions and Examples

New Plug-in Functions

"IPOST_CopyFile"

"IPOST_MoveFile"

"IPOST_DeleteFile"

"IPOST_MakeDirectory"

"IPOST_DeleteDirectory"

Note: We have added an internal function so you no longer have to use '\\' for '\\'. For backward compatibility '\\\' still works (PostFromFile)

"IPOST_CopyFile"

FileMaker Example **CopyFile.fp7** demonstrates this technique.

Parameters: path_in|path_out|flag

Result: "REGISTERED", "REGISTERED DEMO", "INVALID"

Errors: "\$\$ErrorParameterSize", or ("\$\$CopyFileError", \$\$MoveFileError")

Use this function to Copy a file to another directory.

Example:

```
External("IPOST_CopyFile"; path_in & "|" & path_out & "|" & "1")
```

*Flag = "1" or "0". "1" makes it overwrite any existing file.

"IPOST_MoveFile"

FileMaker Example **MoveFile.fp7** demonstrates this technique.

Parameters: path_in|path_out|flag

Result: "REGISTERED", "REGISTERED DEMO", "INVALID"

Errors: "\$\$ErrorParameterSize", "\$\$MoveFileError"

Use this function to Move a file to another directory.

Example:

```
External("IPOST_MoveFile"; path_in & "|" & path_out & "|" & "1")
```

*Flag = "1" or "0". "1" makes it overwrite any existing file.

"IPOST_DeleteFile"

FileMaker Example **DeleteFile.fp7** demonstrates this technique.

Parameters: path_in

Result: "REGISTERED", "REGISTERED DEMO", "INVALID"

Errors: "\$\$ErrorParameterSize"

Use this function to delete a specified file.

Example:

```
External("IPOST_DeleteFile"; path_in)
```

"IPOST_MakeDirectory"

FileMaker Example **MakeDirectory.fp7** demonstrates this technique.

Parameters: path_in
Result: "REGISTERED", "REGISTERED DEMO", "INVALID"
Errors: "\$\$ErrorParameterSize"

Use this function to create a directory at a specified location.

Example:

```
External("IPOST_MakeDirectory"; path_in)
```

"IPOST_DeleteDirectory"

FileMaker Example **DeleteDirectory.fp7** demonstrates this technique.

Parameters: path_in
Result: "REGISTERED", "REGISTERED DEMO", "INVALID"
Errors: "\$\$ErrorParameterSize"

Use this function to delete a directory at a specified location.

Example:

```
External("IPOST_DeleteDirectory"; path_in)
```

Getting Help

If you have questions about IPOST, please email FMWebschool at info@fmwebschool.com. You can also ask questions on our forum at: <http://fmwebschool.com/frm/index.php>. If you do have questions, or are experiencing problems with the plug-in, please be as specific as possible.

To purchase IPOST Web, simply navigate to http://www.fmwebschool.com/ipost_web.php or call 800.353.7950.

IPOST Web is copyright 2005 - 2006 FMWebschool Inc.